: SADDLE FITTING, FWD (OUTBOARD/INBOARD)

User:

Friday, 11/18/2005 3:18:02 PM

Linda Lacelle

## **Process Sheet**

Customer

: CU-DAR001 Dart Helicopters Services

Job Number : 24838

**Estimate Number** 

: 10531

P.O. Number This Issue

First Issue

Comment

**Previous Run** 

:NA

: 11/18/2005 Prsht Rev.

: NC

: IN/A : 244331

S.O. No. : N/A

Type

: MACHINED PARTS

**Part Number** 

**Drawing Name** 

: D2572

**Drawing Number Project Number**   D2572 REV D : N/A

**Drawing Revision** 

: NA

Material **Due Date** 

: 12/20/2005

Qty:

12 Um:

Each

Written By

Checked & Approved By

: SEE COMMENT BELOW. : Est: I 02.10.02 Re-format; Change to Dwg Rev. D &

: SEE COMMENT PEROW

incorporated D2572KJ

Additional Product

Job Number:



Seq. #:

**Machine Or Operation:** 

Description:

7075-T7351 8.25X5.0X2.5

D6101005 1.0

Comment: Qty.:

1.0000 Each(s)/Unit Total:

12.0000 Each(s)

7075-T7351 8.25X5.0X2.5

Make from D6101-005 billet for D2572 Ensure that grain is along 5.00" length

Batch No: 25,204

2.0

HAAS1

Comment: HAAS CNC VERTICAL MACHINING #1

Program Batch No. 24838 Double check by: 6 6613

1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets 2-Machine Step No 2 per

Folio FA051 and inspect per attached Dimension Sheets MS coloilas

3-Machine Step No 3 per Folio FA051 and inspect per attached Dimension Sheets M8 Cop/O/12-2

4-Deburr and remove all machining marks MS CG/CII 22

5-Tumble to remove shap edges.

06/01/24

3.0

MILLING CONV.

CONVENTIONAL MILLING MACHINE



**Comment: CONVENTIONAL MILLING MACHINE** Machine keyway as per dwg D2571 & D2572

06/01/22

12

12

## Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES				,	
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approvai Chief Eng / Prod Mgr	Approval QC Inspector
				-		-	

Part No:	PAR #:	Fault Category:	NCR: Yes No DQA:	_ Date: <u> </u>
			QA: N/C Closed:	Date:

NCR:			WORK ORD	ER NON-CONFORMANC	E (NCR)			
		Description of NC	on of NC Corrective Action Section B				Annroyal	Annroval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspecto
					}	·		
		Mark catalo						
			i.		į		:	
		•						

NOTE: Date & initial all entries

Date: Friday, 11/18/2005 3:18:02 PM User: Linda Lacelle **Process Sheet** Drawing Name: SADDLE FITTING, FWD (OUTBOARD/INBOARD) Customer: CU-DAR001 Dart Helicopters Services Job Number: 24838 Part Number: D2572 Job Number: 8 Seq. #: **Machine Or Operation:** Description: 4.0 QC2 INSPECT PARTS AS THEY COME OFF MACHINE Comment: INSPECT PARTS AS THEY COME OFF MACHINE 06/01/2 5.0 QC8 SECOND CHECK Comment: SECOND CHECK سى ئا 06.01.28 17 HAND FINISHING1 HAND FINISHING RESOURCE #1 Comment: HAND FINISHING RESOURCE #1 Acid etch and Alodine as per QSI 005 4.1 7.0 POWDER COATING POWDER COATING Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 INSPECT POWDER COAT/CHEMICAL CONVERSIO 8.0 QC3 Comment: INSPECT 9.0 PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock 206/01/31 Location: 10.0 DOCUMENT CONTROL Comment: DOCUMENT CONTROL SUE OG lozo Inspection Level 21 Job Completion

W/O:			WORK ORDER	CHANGES					
DATE	STEP	 PR	ROCEDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
					:				
Part No	:	PAR #:	Fault Category:	NC	R: Yes	No DQ	A:	_ Date: _	
					QA:	N/C Close	d:	_ Date: _	

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section B		Verification		Annanal			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector			
						,					
	-										
100							;				

NOTE: Date & initial all entries

## 

## Job Costing Report

Dart Aerospace Ltd.

Hawkesbury

Nov 17, 2005 03:30 pm

Work Order No : 0024838

Project Name : D2572

Project For : WK550 : Main Work Order Type

Main WO Number

House Part Number: D2572 Description : Saddle, Fwd, In

Manufactured : Yes

Amount Req'd:

Amount Done : 0

Start Date : 11-17-05

Est Finish Date

Act Finish Date Drawings Reqd : No

Ok for Approval : Approval Rec'd : Department Code:

Burden Flags : NNNNNNN WO Status : Open

Invoice State : Not Invoiced

Invoice Date

Invoice Number:

Invoice Amount : 0.00

Order Entry No :

OE Value :

0.00

0.000% Est Margin : Actual Margin : 0.000%

\$0 Posted to Finished Goods

		Estimated	Actual	Var. %	Posted	To Post	
Material Cost	:	0.00	0.00	0.00	0.00	0.00	
Engineering Hours	:	0.00	0.00	0.00			
Engineering Cost	:	0.00	0.00	0.00	0.00	0.00	
Production Hours	:	0.00	0.00	0.00	*		
Production Cost	:	0.00	0.00	0.00	0.00	0.00	
Packaging Hours	:	0.00	0.00	0.00			·3.,
Packaging Cost	:	0.00	0.00	0.00	0.00	0.00	
OverHead Hours	:	0.00	0.00	0.00			
OverHead Cost	:	0.00	0.00	0.00	0.00	0.00	*
CNC Hours	:	0.00	0.00	0.00			
CNC	:	0.00	0.00	0.00	0.00	0.00	
Misc. Hours	:	0.00	0.00	0.00			
Misc.	:	0.00	0.00	0.00	0.00	0.00	
•		========	=======	=======		•	
Burden	:	0.00	0.00	0.00			
		========	========	======			
Total Cost	:	0.00	0.00	0.00			
Margin	:	0.000	0.000				
Selling Cost	:	0.00	0.00				

Actual Estimated Labour Hrs/Amount Done : 0.00 0.00 Profits/(Loss) 0.00 0.00 : .

DART AEROSPACE LTD	Work Order:	24838
Description: Saddle, Fwd Inboard	Part Number:	D2572
Inspection Dwg: D2572 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2572 Rev. E and record below:

				Recorded Actual Dimensions					. ,
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT8682	/		<b>-</b>	V		
В	1.745	1.755		1,750	1.150	1.750	3,448		
С	3.495	3.505		3.500	3.500	3.500	3,498		
D	1.745	1.755		1.750	1.750	1.750	1.751		
E	7.990	8.010		8.002	€.∞3	8.001	8 -003		
F	0.490	0.510		.503	,501	0.508	0-501		
G	0.257	0.262	DT8683		<b>/</b>	/			
Н	0.375	0.380	DT8684						
ļ	0.490	0.510		.500	.498	,503	0-506		
Ĵ	1.174	1.184		081.1	1.180	1.181	1.180		
K	0.558	0.578		.571	.570	.576	0-569		
L.	1.174	1.184		031.1	1.180	1-180	1.180		
M	1.490	1.500		1.497	1.495	1.494			
N	2.495	2.505		2.500	2.500	2.500	2.501		
0	3.869	3.879		3.874	3.873	3.874	3.870		
P.	0.115	0.135		.127	"12-1	127	0-138		
Q	0.115	0.135		135	2512	,135	00135		
R	0.240	0.260		*320	,250	.250	0-250		
S	0.115	0.135		.129	-124	135	0.135		
T	0.178	0.198		981.	331.	.188	881.		
U	2.940	2.980		7.964	2.962	2.961	3.964		
<b>V</b>	0.230	0.250		・スリフ	<u>243</u>	,25I	0-249		
W,	0.115	0.135		129	125	.130	0.125		
Х	0.307	0.312		~309	POE,	0.311	0.313		<u></u>
Y	0.760	0.765		-76a	.762	0.761	0.761		
Z	0.352	0.372		~366	.366	.362	0.362		<u> </u>
AA	0.470	0.530		. <b>5</b> 00	.500	.500	.500		
AB	0.615	0.635		-631	162B	,627	0.628		
AC	0.053	0.073		.063	E003.	.063	EW.		
AD	0.240	0.260		,251	,253	256	0.355		······································
AE	1.375	1.395		1.386	1.386	1.380	1.374		
AF	0.115	0.135		2816	.13S	-135	0-134		
AG	0.240	0.280		. 252	. 255	•322	0.260		
AH	0.240	0.260		.257	,257	258	0.260		
Al	2.000	2.020		2.004	NIA	NIA	NIA		
AJ	0.023	0.043		.03	.03	·03	.03		
	Acc	ept/Reje	ct						

Measured by:	M8/5.G.	Audited by	$\lor$	
Date:	06/01/22	Date:	06/01/22	

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	<b></b>
В	02.09.24	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	_
D	05.05.05	Added dimension Al	KJ/RF	21
Ε	05.12.05	Added dimension AJ	KJ/JLM Z	11/1



DART AEROSPACE LTD		Work Order:	24838
	-		
Description: Saddle, Fwd Inboard	-	Part Number:	D2572
Inspection Dwg: D2572 Rev. E			Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2572 Rev. E and record below:

Recorded Actual Dimensions									
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT8682			<b>/</b>			
В	1.745	1.755		1.749	1.750	1.750	1.750		
С	3.495	3.505		3 -501	3-502	3.500	3.500		
D	1.745	1.755		1-750	1.750	1.750	1.750		
E	7.990	8.010		8,004	8.002	8.∞೩	8,000		
F	0.490	0.510		0.501	0,500	.501	.499		
G	0.257	0.262	DT8683	0-258	0.258	<u> </u>			
Н	0.375	0.380	DT8684	0.376	6-376	/			
	0.490	0.510		० , ५५५	6.500	.503	.500		
J	1.174	1.184		1.180	1-180	1.180	081.1		
K	0.558	0.578		O. <b>5</b> 69	0.568	.572	,575		
L	1.174	1.184		1-180	1-179	1.180	1.180		
M	1.490	1.500		1 . 495	1.497	1.496	1.495		
N	2.495	2.505		2.501	2-500	2.500	2.500		
0	3.869	3.879		3.875	3-874	2.873	3.873		
P #.	0.115	0.135		6,198	0.127	.127	-127		
Q	÷0.115	0.135		0-134	0.134	.\35	135		
R	0.240	0.260		0.253	0.253	,250	ってるり		
S	0.115	0.135		0.132	0-133	.130	130		
Т	0.178	0.198		881.0	0.188	188	188		
U	2.940	2.980		2-961	2.962	2.962	2962		
V	0.230	0.250		6.3 <b>44</b>	0.252	.245	246		
W	0.115	0.135		0.130 0.311 0.761	0.131	.131	131		
Х	0.307	0.312		0.311	0.310	-310	.310		
Υ	0.760	0.765		9.761	0.761	.762	.つ62		
Z	0.352	0.372		0.363	0-362	.365	.365		
AA	0.470	0.530		0.500	0,500	.500	.500		
AB	0.615	0.635		0.628	0.627	,629	.629		
AC	0.053	0.073		0-063	0.063	· EDO.	_C0G3		
AD	0.240	0.260		0.251	0.252	.254	252		
AE	1.375	1.395		1.378	1 - 379	1.380	1.380		
AF	0.115	0.135		0.130	0.135	.135	, 135		
AG	0.240	0.280		0.351 0.355	0.252	.aso	.25 <b>0</b>		
AH	0.240	0.260		0.255	0.256	.256	.256		
Αl	2.000	2.020		NIA	NIA	NIA	NIA		
AJ	0.023	0.043	· · · · · · · · · · · · · · · · · · ·	0.033	0.033	. O3O	.030		
	Acc	ept/Reje	ct						

Measured by: 5.6 / NS Audited by Date: 06/01/25

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.24	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension Al	KJ/RF	2/
E	05.12.05	Added dimension AJ	KJ/JLM C	1111



DART AEROSPACE LTD	Work Order:	24838	
Description: Saddle, Fwd Inboard	Part Number:	D2572	
Inspection Dwg: D2572 Rev. E		Page 1 of 1	

Inspect dimensions highlighted on inspection sheet drawing D2572 Rev. E and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT8682			/			
В	1.745	1.755		1.750	1.750	1.750	1.750		
С	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.002	8.002	8.002	8.005		
F	0.490	0.510		-503	.502	.500	.50		
G	0.257	0.262	DT8683		<u> </u>		V		
Н	0.375	0.380	DT8684			~			
1	0.490	0.510		.502	.505	-205	~5OI		
J	1.174	1.184		1.180	081.1	1.180	1.180		-
K	0.558	0.578		.572	.571	~572	-570		
L	1.174	1.184		1.180	1.180	1.180	1.180		
M	1.490	1.500		1.493	1.495	1.493	1.492		
N	2.495	2.505		2.501	2.500	2.500	2.500		
0	3.869	3.879		3.873	3.874	3.872	3.873		
Р	0.115	0.135		12~	-127	-129	.129		
Q	0.115	0.135		.135	.135	.135	.135		
R	0.240	0.260		250	• 249	, 25O	・ブシン		
S	0.115	0.135		.120	-15-1	.128	158		
Т	0.178	0.198		.188	881.	3891	381.		
U	2.940	2.980		2.963	2.961	2.965	2.965		
V	0.230	0.250		~244	-243	,244	. 244		_
W	0.115	0.135		.128	-136	126	126		
X	0.307	0.312		018.	.310	310			
Υ	0.760	0.765		・コピタ	.762	762			
Z	0.352	0.372		-364	362	. 365	~362		
AA	0.470	0.530		.500	,500	~2@>	,200		
AB	0.615	0.635		050	30عر	.628	いのりか		
AC	0.053	0.073		.063	.063	·063	E00.		
AD	0.240	0.260		-254	.251	.253	<i>∙,5</i> 20		
AE	1.375	1.395		1.380	1.380	1.380	(385)		
AF	0.115	0.135		.135	.135	-135	.135		
AG	0.240	0.280		.260	· <i>J</i> (0	`J28	' J2@		
AH	0.240	0.260	*	-254	,256	.256	256		
Al	2.000	2.020	****	NIA	NIA	AIN	NIA		
AJ	0.023	0.043		°030	.030	,030	.03O		
	Acc	ept/Reje	<u>ct</u>						

Measured by:	M	Audited by	.TG:
Date:	06/01/26	Date:	06/01/26

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.24	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension Al	KJ/RF	10/
E	05.12.05	Added dimension AJ	KJ/JLM C	

	ł
	:
	: 1
	i I
	į